



Rocky Enterprise Linux 9.2 Manual Pages on command 'memccpy.3'

\$ man memccpy.3

MEMCCPY(3) Linux Programmer's Manual MEMCCPY(3)

NAME

memccpy - copy memory area

SYNOPSIS

```
#include <string.h>

void *memccpy(void *dest, const void *src, int c, size_t n);
```

DESCRIPTION

The memccpy() function copies no more than n bytes from memory area src to memory area dest, stopping when the character c is found. If the memory areas overlap, the results are undefined.

RETURN VALUE

The memccpy() function returns a pointer to the next character in dest after c, or NULL if c was not found in the first n characters of src.

ATTRIBUTES

For an explanation of the terms used in this section, see at? tributes(7).

??

?Interface ? Attribute ? Value ?

????????????????????????????????????

?memcpy() ? Thread safety ? MT-Safe ?

????????????????????????????????????

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, SVr4, 4.3BSD.

SEE ALSO

bcopy(3), bstring(3), memcpy(3), memmove(3), strcpy(3), strncpy(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU 2017-09-15 MEMCCPY(3)