



### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'pdfdetach.1'***

#### ***\$ man pdfdetach.1***

pdfdetach(1)                      General Commands Manual                      pdfdetach(1)

#### NAME

pdfdetach - Portable Document Format (PDF) document embedded file extractor (version 3.03)

#### SYNOPSIS

pdfdetach [options] [PDF-file]

#### DESCRIPTION

Pdfdetach lists or extracts embedded files (attachments) from a Portable Document Format (PDF) file.

#### OPTIONS

Some of the following options can be set with configuration file commands. These are listed in square brackets with the description of the corresponding command line option.

-list List all of the embedded files in the PDF file. File names are converted to the text encoding specified by the "-enc" switch.

-save number

Save the specified embedded file. By default, this uses the file name associated with the embedded file (as printed by the

"-list" switch); the file name can be changed with the "-o" switch.

#### **-savefile filename**

Save the specified embedded file. By default, this uses the file name associated with the embedded file (as printed by the "-list" switch); the file name can be changed with the "-o" switch.

#### **-saveall**

Save all of the embedded files. This uses the file names associated with the embedded files (as printed by the "-list" switch). By default, the files are saved in the current directory; this can be changed with the "-o" switch.

#### **-o path**

Set the file name used when saving an embedded file with the "-save" switch, or the directory used by "-saveall".

#### **-enc encoding-name**

Sets the encoding to use for text output (embedded file names). This defaults to "UTF-8".

#### **-opw password**

Specify the owner password for the PDF file. Providing this will bypass all security restrictions.

#### **-upw password**

Specify the user password for the PDF file.

**-v** Print copyright and version information.

**-h** Print usage information. (-help and --help are equivalent.)

### **EXIT CODES**

The Xpdf tools use the following exit codes:

- 0 No error.
- 1 Error opening a PDF file.
- 2 Error opening an output file.
- 3 Error related to PDF permissions.
- 99 Other error.

The pdfinfo software and documentation are copyright 1996-2011 Glyph & Cog, LLC.

#### SEE ALSO

pdffonts(1), pdfimages(1), pdfinfo(1), pdftocairo(1), pdftohtml(1),  
pdftoppm(1), pdftops(1), pdftotext(1) pdfseparate(1), pdfsig(1), pdfu?  
nite(1)

15 August 2011

pdfdetach(1)