



Rocky Enterprise Linux 9.2 Manual Pages on command 'podman-pod-top.1'

\$ man podman-pod-top.1

podman-pod-top(1) General Commands Manual podman-pod-top(1)

NAME

podman-pod-top - Display the running processes of containers in a pod

SYNOPSIS

podman pod top [options] pod [format-descriptors]

DESCRIPTION

Display the running processes of containers in a pod. The format-descriptors are ps (1) compatible AIX format descriptors but extended to print additional information, such as the seccomp mode or the effective capabilities of a given process. The descriptors can either be passed as separate arguments or as a single comma-separated argument. Note that if additional options of ps(1) are specified, Podman falls back to executing ps with the specified arguments and options in the container.

OPTIONS

--help, -h

Print usage statement

--latest, -l

Instead of providing the pod name or ID, use the last created pod.

Note: the last started pod could be from other users of Podman on the host machine. (This option is not available with the remote Podman client, including Mac and Windows (excluding WSL2) machines)

FORMAT DESCRIPTORS

Please refer to `podman-top(1)` for a full list of available descriptors.

EXAMPLES

By default, `podman-pod-top` prints data similar to `ps -ef`:

```
$ podman pod top b031293491cc
```

USER	PID	PPID	%CPU	ELAPSED	TTY	TIME	COMMAND
root	1	0	0.000	2h5m38.737137571s	?	0s	top
root	8	0	0.000	2h5m15.737228361s	?	0s	top

The output can be controlled by specifying format descriptors as arguments after the pod:

```
$ podman pod top -l pid seccomp args %C
```

PID	SECCOMP	COMMAND	%CPU
1	filter	top	0.000
1	filter	/bin/sh	0.000

SEE ALSO

`podman(1)`, `podman-pod(1)`, `ps(1)`, `seccomp(2)`, `proc(5)`, `capabilities(7)`

HISTORY

August 2018, Originally compiled by Peter Hunt pehunt@redhat.com
[?mailto:pehunt@redhat.com?](mailto:pehunt@redhat.com)

`podman-pod-top(1)`