



Rocky Enterprise Linux 9.2 Manual Pages on command 'rctest.1'

\$ man rctest.1

RCTEST(1) Linux System Administration RCTEST(1)

NAME

rctest - RFCOMM testing

SYNOPSIS

rctest <MODE> [OPTIONS] [bdaddr]

DESCRIPTION

rctest(1) is used to test RFCOMM communications on the BlueZ stack

MODES

- r listen and receive
- w listen and send
- d listen and dump incoming data
- s connect and send
- u connect and receive
- n connect and be silent
- c connect, disconnect, connect, ...
- m multiple connects

OPTIONS

- b bytes

send/receive bytes

-i device

select the specified device

-P channel

select the specified channel

-U uuid

select the specified uuid

-L seconds

enable SO_LINGER options for seconds

-W seconds

enable deferred setup for seconds

-B filename

use data packets from filename

-N num send num frames

-C num send num frames before delay (default: 1)

-D milliseconds

delay milliseconds after sending num frames (default: 0)

-A request authentication

-E request encryption

-S secure connection

-M become central

-T enable timestamps

RESOURCES

<http://www.bluez.org>

REPORTING BUGS

linux-bluetooth@vger.kernel.org

AUTHOR

Maxim Krasnyansky <maxk@qualcomm.com>, Marcel Holtmann <marcel@holtmann.org>, Filippo Giunchedi <filippo@debian.org>

COPYRIGHT

Free use of this software is granted under the terms of the GNU Lesser General Public License (LGPL).