



Rocky Enterprise Linux 9.2 Manual Pages on command 'recode-sr-latin.1'

\$ man recode-sr-latin.1

RECODE-SR-LATIN(1) User Commands RECODE-SR-LATIN(1)

NAME

recode-sr-latin - convert Serbian text from Cyrillic to Latin script

SYNOPSIS

recode-sr-latin [OPTION]

DESCRIPTION

Recode Serbian text from Cyrillic to Latin script. The input text is read from standard input. The converted text is output to standard output.

Informative output:

-h, --help

display this help and exit

-V, --version

output version information and exit

AUTHOR

Written by Danilo Segan and Bruno Haible.

REPORTING BUGS

Report bugs in the bug tracker at <https://savan?>

nah.gnu.org/projects/gettext> or by email to <bug-gettext@gnu.org>.

COPYRIGHT

Copyright ? 2006-2020 Free Software Foundation, Inc. License GPLv3+:

GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>

This is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

The full documentation for recode-sr-latin is maintained as a Texinfo

manual. If the info and recode-sr-latin programs are properly in?

stalled at your site, the command

info recode-sr-latin

should give you access to the complete manual.

GNU gettext-tools 20200704

July 2020

RECODE-SR-LATIN(1)