

Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'sane-mustek_usb2.5'

\$ man sane-mustek usb2.5

_

sane-mustek_usb2(5)

SANE Scanner Access Now Easy

sane-mustek_usb2(5)

NAME

sane-mustek usb2 - SANE backend for SQ113 based USB flatbed scanners

DESCRIPTION

The sane-mustek_usb2 library implements a SANE (Scanner Access Now Easy) backend that provides access to USB flatbed scanners based on the Service & Quality SQ113 chipset. At the moment, only the Mustek BearPaw 2448 TA Pro is supported. It's planned to add support for other scan? ners that are based on the SQ113 and maybe SQ11 chip. For more details, see the mustek_usb2 backend homepage: http://www.meier-geinitz.de/sane/mustek_usb2-backend/.

This is BETA software. Especially if you test new or untested scanners, keep your hand at the scanner's plug and unplug it, if the head bumps at the end of the scan area.

If you own a scanner other than the ones listed on the mustek usb2

homepage that works with this backend, please let me know this by send?

ing the scanner's exact model name and the USB vendor and device ids

(e.g. from sane-find-scanner(1) or syslog) to me. Even if the scanner's

name is only slightly different from the models already listed as sup?

ported, please let me know.

LIBUSB ISSUES

Please use libusb-0.1.8 or later. Without libusb or with older libusb

versions all kinds of trouble can be expected. The scanner should be

found by sane-find-scanner(1) without further actions. For setting per?

missions and general USB information looks at sane-usb(5).

FILES

/usr/lib64/sane/libsane-mustek usb2.a

The static library implementing this backend.

/usr/lib64/sane/libsane-mustek usb2.so

The shared library implementing this backend (present on systems

that support dynamic loading).

ENVIRONMENT

SANE_DEBUG_MUSTEK_USB2

If the library was compiled with debug support enabled, this en?

vironment variable controls the debug level for this backend.

Higher debug levels increase the verbosity of the output.

Example: export SANE_DEBUG_MUSTEK_USB2=4

SEE ALSO

sane(7), sane-usb(5), sane-plustek(5), sane-ma1509(5),

sane-mustek_usb(5), sane-mustek(5), sane-mustek_pp(5), sane-find-scan?

ner(1)

Page 2/3

/usr/share/doc/sane-backends/mustek_usb2/mustek_usb2.CHANGES http://www.meier-geinitz.de/sane/mustek_usb2-backend/

AUTHOR

The driver has been written Roy Zhou, Jack Xu, and Vinci Cen from Mustek.

Adjustments to SANE by Henning Meier-Geinitz.

BUGS

Please contact me if you find a bug or missing feature: <hen? ning@meier-geinitz.de>.

Please send a debug log if your scanner isn't detected correctly (see SANE_DEBUG_MUSTEK_USB2 above).

13 Jul 2008 sane-mustek_usb2(5)