



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'sed.1'

\$ man sed.1

SED(1) User Commands SED(1)

NAME

sed - stream editor for filtering and transforming text

SYNOPSIS

sed [OPTION]... {script-only-if-no-other-script} [input-file]...

DESCRIPTION

Sed is a stream editor. A stream editor is used to perform basic text

transformations on an input stream (a file or input from a pipeline).

While in some ways similar to an editor which permits scripted edits

(such as ed), sed works by making only one pass over the input(s), and

is consequently more efficient. But it is sed's ability to filter text

in a pipeline which particularly distinguishes it from other types of

editors.

-n, --quiet, --silent

suppress automatic printing of pattern space

--debug

annotate program execution

-e script, --expression=script

add the script to the commands to be executed

-f *script-file*, **--file**=*script-file*

add the contents of *script-file* to the commands to be executed

--follow-symlinks

follow symlinks when processing in place

-i[*SUFFIX*], **--in-place**[=*SUFFIX*]

edit files in place (makes backup if *SUFFIX* supplied)

-l *N*, **--line-length**=*N*

specify the desired line-wrap length for the `l' command

--posix

disable all GNU extensions.

-E, **-r**, **--regexp-extended**

use extended regular expressions in the script (for portability

use POSIX -E).

-s, **--separate**

consider files as separate rather than as a single, continuous

long stream.

--sandbox

operate in sandbox mode (disable e/r/w commands).

-u, **--unbuffered**

load minimal amounts of data from the input files and flush the

output buffers more often

-z, **--null-data**

separate lines by NUL characters

--help

display this help and exit

--version

output version information and exit

If no **-e**, **--expression**, **-f**, or **--file** option is given, then the first

non-option argument is taken as the sed script to interpret. All re?

maining arguments are names of input files; if no input files are spec?

ified, then the standard input is read.

using GNU software: <<https://www.gnu.org/gethelp/>>. E-mail bug reports to: <bug-sed@gnu.org>.

COMMAND SYNOPSIS

This is just a brief synopsis of sed commands to serve as a reminder to those who already know sed; other documentation (such as the *texinfo* document) must be consulted for fuller descriptions.

Zero-address ``commands''

: label

Label for b and t commands.

#comment

The comment extends until the next newline (or the end of a -e script fragment).

} The closing bracket of a { } block.

Zero- or One- address commands

= Print the current line number.

a \

text Append text, which has each embedded newline preceded by a back? slash.

i \

text Insert text, which has each embedded newline preceded by a back? slash.

q [exit-code]

Immediately quit the sed script without processing any more in? put, except that if auto-print is not disabled the current pattern space will be printed. The exit code argument is a GNU exit tension.

Q [exit-code]

Immediately quit the sed script without processing any more input. This is a GNU extension.

r filename

Append text read from filename.

R filename

Append a line read from filename. Each invocation of the command

mand reads a line from the file. This is a GNU extension.

Commands which accept address ranges

{ Begin a block of commands (end with a }).

b label

Branch to label; if label is omitted, branch to end of script.

c \

text Replace the selected lines with text, which has each embedded newline preceded by a backslash.

d Delete pattern space. Start next cycle.

D If pattern space contains no newline, start a normal new cycle as if the d command was issued. Otherwise, delete text in the pattern space up to the first newline, and restart cycle with the resultant pattern space, without reading a new line of in? put.

h H Copy/append pattern space to hold space.

g G Copy/append hold space to pattern space.

l List out the current line in a ``visually unambiguous" form.

l width

List out the current line in a ``visually unambiguous" form, breaking it at width characters. This is a GNU extension.

n N Read/append the next line of input into the pattern space.

p Print the current pattern space.

P Print up to the first embedded newline of the current pattern space.

s/regexp/replacement/

Attempt to match regexp against the pattern space. If success? ful, replace that portion matched with replacement. The re? placement may contain the special character & to refer to that portion of the pattern space which matched, and the special es? capes \1 through \9 to refer to the corresponding matching sub-expressions in the regexp.

t label

If a s/// has done a successful substitution since the last in?

put line was read and since the last t or T command, then branch to label; if label is omitted, branch to end of script.

T label

If no s/// has done a successful substitution since the last in?
put line was read and since the last t or T command, then branch to label; if label is omitted, branch to end of script. This is a GNU extension.

w filename

Write the current pattern space to filename.

W filename

Write the first line of the current pattern space to filename.

This is a GNU extension.

x Exchange the contents of the hold and pattern spaces.

y/source/dest/

Transliterate the characters in the pattern space which appear in source to the corresponding character in dest.

Addresses

Sed commands can be given with no addresses, in which case the command will be executed for all input lines; with one address, in which case the command will only be executed for input lines which match that ad? dress; or with two addresses, in which case the command will be exe? cuted for all input lines which match the inclusive range of lines starting from the first address and continuing to the second address.

Three things to note about address ranges: the syntax is addr1,addr2 (i.e., the addresses are separated by a comma); the line which addr1 matched will always be accepted, even if addr2 selects an earlier line; and if addr2 is a regexp, it will not be tested against the line that addr1 matched.

After the address (or address-range), and before the command, a ! may be inserted, which specifies that the command shall only be executed if the address (or address-range) does not match.

The following address types are supported:

number Match only the specified line number (which increments cumula?

tively across files, unless the `-s` option is specified on the command line).

first~step

Match every step'th line starting with line first. For example, ``sed -n 1~2p" will print all the odd-numbered lines in the in? put stream, and the address 2~5 will match every fifth line, starting with the second. first can be zero; in this case, sed operates as if it were equal to step. (This is an extension.)

\$ Match the last line.

/regexp/

Match lines matching the regular expression regexp. Matching is performed on the current pattern space, which can be modified with commands such as ``s///".

\cregexp

Match lines matching the regular expression regexp. The `c` may be any character.

GNU sed also supports some special 2-address forms:

0,addr2

Start out in "matched first address" state, until addr2 is found. This is similar to 1,addr2, except that if addr2 matches the very first line of input the 0,addr2 form will be at the end of its range, whereas the 1,addr2 form will still be at the beginning of its range. This works only when addr2 is a regular expression.

addr1,+N

Will match addr1 and the N lines following addr1.

addr1,~N

Will match addr1 and the lines following addr1 until the next line whose input line number is a multiple of N.

REGULAR EXPRESSIONS

POSIX.2 BREs should be supported, but they aren't completely because of performance problems. The `\n` sequence in a regular expression matches the newline character, and similarly for `\a`, `\t`, and other sequences.

The -E option switches to using extended regular expressions instead; it has been supported for years by GNU sed, and is now included in POSIX.

BUGS

E-mail bug reports to bug-sed@gnu.org. Also, please include the output of ``sed --version'' in the body of your report if at all possible.

AUTHOR

Written by Jay Fenlason, Tom Lord, Ken Pizzini, Paolo Bonzini, Jim Meyering, and Assaf Gordon.

This sed program was built with SELinux support. SELinux is enabled on this system.

GNU sed home page: <<https://www.gnu.org/software/sed/>>. General help using GNU software: <<https://www.gnu.org/gethelp/>>. E-mail bug reports to: <bug-sed@gnu.org>.

COPYRIGHT

Copyright ? 2020 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

`awk(1)`, `ed(1)`, `grep(1)`, `tr(1)`, `perlre(1)`, `sed.info`, any of various books on sed, the sed FAQ (<http://sed.sf.net/grabbag/tutorials/sed?faq.txt>), <http://sed.sf.net/grabbag/>.

The full documentation for sed is maintained as a Texinfo manual. If the info and sed programs are properly installed at your site, the command

`info sed`

should give you access to the complete manual.