



Rocky Enterprise Linux 9.2 Manual Pages on command 'semanage-module.8'

\$ man semmanage-module.8

semanage-module(8) semanage-module(8)

NAME

semanage-module - SELinux Policy Management module mapping tool

SYNOPSIS

```
semanage module [-h] [-n] [-N] [-S STORE] (-a | -r | -e | -d | --ex?  
tract | --list [-C] | --deleteall) [module_name]
```

DESCRIPTION

semanage is used to configure certain elements of SELinux policy with?
out requiring modification to or recompilation from policy sources.
semanage module installs, removes, disables SELinux Policy modules.

OPTIONS

-h, --help
show this help message and exit

-n, --noheading
Do not print heading when listing the specified object type

-N, --noreload
Do not reload policy after commit

-S STORE, --store STORE

Select an alternate SELinux Policy Store to manage

-a, --add

Install specified module

-r, --remove

Remove specified module

-d --disable

Disable specified module

-e --enable

Enable specified module

-E, --extract

Extract customizable commands, for use within a transaction

-l, --list

List records of the specified object type

-C, --locallist

List local customizations

EXAMPLE

List all modules

```
# semanage module -l
```

Disable unconfined module

```
# semanage module --disable unconfined
```

Install custom apache policy module

```
# semanage module -a myapache
```

SEE ALSO

selinux(8), semanage(8), semodule(8)

AUTHOR

This man page was written by Daniel Walsh <dwalsh@redhat.com>

20130617

semanage-module(8)