



*Full credit is given to the above companies including the OS that this PDF file was generated!*

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'setsebool.8'***

**\$ man setsebool.8**

setsebool(8) SELinux Command Line documentation setsebool(8)

#### **NAME**

setsebool - set SELinux boolean value

#### **SYNOPSIS**

setsebool [ -PNV ] boolean value | bool1=val1 bool2=val2 ...

#### **DESCRIPTION**

setsebool sets the current state of a particular SELinux boolean or a list of booleans to a given value. The value may be 1 or true or on to enable the boolean, or 0 or false or off to disable it.

Without the -P option, only the current boolean value is affected; the boot-time default settings are not changed.

If the -P option is given, all pending values are written to the policy file on disk. So they will be persistent across reboots.

If the -N option is given, the policy on disk is not reloaded into the kernel.

If the -V option is given, verbose error messages will be printed from semanage libraries.

This manual page was written by Dan Walsh <[dwalsh@redhat.com](mailto:dwalsh@redhat.com)>. The program was written by Tresys Technology.

SEE ALSO

[getsebool\(8\)](#), [booleans\(8\)](#), [togglesebool\(8\)](#), [semanage\(8\)](#)

[dwalsh@redhat.com](mailto:dwalsh@redhat.com)

11 Aug 2004

[setsebool\(8\)](#)