



Rocky Enterprise Linux 9.2 Manual Pages on command 'tcgetpgrp.3'

\$ man tcgetpgrp.3

TCGETPGRP(3) Linux Programmer's Manual TCGETPGRP(3)

NAME

tcgetpgrp, tcsetpgrp - get and set terminal foreground process group

SYNOPSIS

```
#include <unistd.h>
```

```
pid_t tcgetpgrp(int fd);
```

```
int tcsetpgrp(int fd, pid_t pgrp);
```

DESCRIPTION

The function `tcgetpgrp()` returns the process group ID of the foreground process group on the terminal associated to `fd`, which must be the controlling terminal of the calling process.

The function `tcsetpgrp()` makes the process group with process group ID `pgrp` the foreground process group on the terminal associated to `fd`, which must be the controlling terminal of the calling process, and still be associated with its session. Moreover, `pgrp` must be a (nonempty) process group belonging to the same session as the calling process.

If `tcsetpgrp()` is called by a member of a background process group in

its session, and the calling process is not blocking or ignoring SIGTTOU, a SIGTTOU signal is sent to all members of this background process group.

RETURN VALUE

When `fd` refers to the controlling terminal of the calling process, the function `tcgetpgrp()` will return the foreground process group ID of that terminal if there is one, and some value larger than 1 that is not presently a process group ID otherwise. When `fd` does not refer to the controlling terminal of the calling process, -1 is returned, and `errno` is set appropriately.

When successful, `tcsetpgrp()` returns 0. Otherwise, it returns -1, and `errno` is set appropriately.

ERRORS

EBADF `fd` is not a valid file descriptor.

EINVAL `pgrp` has an unsupported value.

ENOTTY The calling process does not have a controlling terminal, or it has one but it is not described by `fd`, or, for `tcsetpgrp()`, this controlling terminal is no longer associated with the session of the calling process.

EPERM `pgrp` has a supported value, but is not the process group ID of a process in the same session as the calling process.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?`tcgetpgrp()`, `tcsetpgrp()` ? Thread safety ? MT-Safe ?

??

CONFORMING TO

POSIX.1-2001, POSIX.1-2008.

NOTES

These functions are implemented via the `TIOCGPGRP` and `TIOCSPGRP` ioctls.

History

The `ioctl`s appeared in 4.2BSD. The functions are POSIX inventions.

SEE ALSO

`setpgid(2)`, `setsid(2)`, `credentials(7)`

COLOPHON

This page is part of release 5.10 of the Linux `man-pages` project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2015-08-08

TCGETPGRP(3)