



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'ttytype.5'

\$ man ttytype.5

TTYTYPE(5) Linux Programmer's Manual TTYTYPE(5)

NAME

ttystyle - terminal device to default terminal type mapping

DESCRIPTION

The `/etc/ttytype` file associates `termcap(5)`/`terminfo(5)` terminal type names with tty lines. Each line consists of a terminal type, followed by whitespace, followed by a tty name (a device name without the `/dev/` prefix).

This association is used by the program `tset(1)` to set the environment variable `TERM` to the default terminal name for the user's current tty.

This facility was designed for a traditional time-sharing environment featuring character-cell terminals hardwired to a UNIX minicomputer.

It is little used on modern workstation and personal UNIX systems.

FILES

/etc/ttytype

the tty definitions file.

EXAMPLES

A typical /etc/ttytype is:

con80x25 tty1

vt320 ttys0

SEE ALSO

termcap(5), terminfo(5), agetty(8), mingetty(8)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

Linux

2020-06-09

TTYTYPE(5)