



Full credit is given to the above companies including the OS that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'vserver.2'

\$ man vserver.2

UNIMPLEMENTED(2) Linux Programmer's Manual UNIMPLEMENTED(2)

NAME

afs_syscall, break, fattach, fdetach, ftime, getmsg, getpmsg, gtty,
isastream, lock, madvise1, mpx, prof, profil, putmsg, putpmsg, secu?
rity, stty, tuxcall, ulimit, vserver - unimplemented system calls

SYNOPSIS

Unimplemented system calls.

DESCRIPTION

These system calls are not implemented in the Linux kernel.

RETURN VALUE

These system calls always return -1 and set errno to ENOSYS.

NOTES

Note that ftime(3), profil(3), and ulimit(3) are implemented as library functions.

Some system calls, like alloc_hugepages(2), free_hugepages(2), iop?erm(2), iopl(2), and vm86(2) exist only on certain architectures.

Some system calls, like ipc(2), create_module(2), init_module(2), and delete_module(2) exist only when the Linux kernel was built with sup?

port for them.

SEE ALSO

[syscalls\(2\)](#)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

Linux

2017-09-15

UNIMPLEMENTED(2)