



Rocky Enterprise Linux 9.2 Manual Pages on command 'xdg-open.1'

\$ man xdg-open.1

XDG-OPEN(1) xdg-open Manual XDG-OPEN(1)

NAME

xdg-open - opens a file or URL in the user's preferred application

SYNOPSIS

xdg-open {file | URL}

xdg-open {--help | --manual | --version}

DESCRIPTION

xdg-open opens a file or URL in the user's preferred application. If a URL is provided the URL will be opened in the user's preferred web browser. If a file is provided the file will be opened in the preferred application for files of that type. xdg-open supports file, ftp, http and https URLs.

xdg-open is for use inside a desktop session only. It is not recommended to use xdg-open as root.

OPTIONS

--help

Show command synopsis.

--manual

Show this manual page.

--version

Show the xdg-utils version information.

EXIT CODES

An exit code of 0 indicates success while a non-zero exit code indicates failure. The following failure codes can be returned:

1

Error in command line syntax.

2

One of the files passed on the command line did not exist.

3

A required tool could not be found.

4

The action failed.

SEE ALSO

xdg-mime(1), xdg-settings(1), MIME applications associations specification[1]

EXAMPLES

```
xdg-open 'http://www.freedesktop.org/'
```

Opens the freedesktop.org website in the user's default browser.

```
xdg-open /tmp/foobar.png
```

Opens the PNG image file /tmp/foobar.png in the user's default image viewing application.

AUTHORS

Kevin Krammer

Author.

Jeremy White

Author.

COPYRIGHT

Copyright ? 2006

NOTES

1. MIME applications associations specification

<http://www.freedesktop.org/wiki/Specifications/mime-apps-spec/>

