

**NAME**

Lintian::Inspect::Changelog::Entry – represents one entry in a Debian changelog

**SYNOPSIS****DESCRIPTION****Methods**

*init*

Creates a new object, no options.

*new*

Alias for init.

*is\_empty*

Checks if the object is actually initialized with data. Due to limitations in Parse::DebianChangelog this currently simply checks if one of the fields Source, Version, Maintainer, Date, or Changes is initialized.

**Accessors**

The following fields are available via accessor functions (all fields are string values unless otherwise noted):

Source

Version

Distribution

Urgency

Urgency\_Comment

Urgency\_LC

ExtraFields

Extra\_Fields (all fields except for urgency as hash; POD spelling forces the underscore)

Header

Header (the whole header in verbatim form)

Changes

Changes (the actual content of the bug report, in verbatim form)

Trailer

Trailer (the whole trailer in verbatim form)

Closes

Closes (Array of bug numbers)

Maintainer

MaintainerEmail

Date

Timestamp

Timestamp (Date expressed in seconds since the epoch)

ERROR

ERROR (last parse error related to this entry in the format described at Parse::DebianChangelog::get\_parse\_errors.

**SEE ALSO**

Originally based on Parse::DebianChangelog by Frank Lichtenheld, <frank@lichtenheld.de>

**AUTHOR**

Written by Felix Lechner <felix.lechner@lease-up.com> for Lintian in response to #933134.

**COPYRIGHT AND LICENSE**

Please see in the code; FSF's standard short text triggered a POD spelling error here.