

NAME

Log::Any::Adapter::File – Simple adapter for logging to files

VERSION

version 1.708

SYNOPSIS

```
use Log::Any::Adapter ('File', '/path/to/file.log');

# or

use Log::Any::Adapter;
...
Log::Any::Adapter->set('File', '/path/to/file.log');

# with minimum level 'warn'

use Log::Any::Adapter (
    'File', '/path/to/file.log', log_level => 'warn',
);
```

DESCRIPTION

This simple built-in Log::Any adapter logs each message to the specified file, with a datestamp prefix and newline appended. The file is opened for append with autoflush on. If flock is available, the handle will be locked when writing.

The log_level attribute may be set to define a minimum level to log.

The binmode attribute may be set to define a PerlIO layer string to use when opening the file. The default is :utf8.

Category is ignored.

SEE ALSO

Log::Any, Log::Any::Adapter

AUTHORS

- Jonathan Swartz <swartz@pobox.com>
- David Golden <dagolden@cpan.org>
- Doug Bell <preaction@cpan.org>
- Daniel Pittman <daniel@rimspace.net>
- Stephen Thirlwall <sdt@cpan.org>

COPYRIGHT AND LICENSE

This software is copyright (c) 2017 by Jonathan Swartz, David Golden, and Doug Bell.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.