



Linux Ubuntu 26.04 Manual Pages on command 'bluetoothctl-monitor.1'

\$ man bluetoothctl-monitor.1

bluetoothctl-monitor(1) Linux System Administration bluetoothctl-monitor(1)

Name

bluetoothctl-monitor - Monitor Submenu

SYNOPSIS

bluetoothctl [--options] [monitor.commands]

Monitor Commands

set-rssi-threshold

Set RSSI threshold parameter

Usage > set-rssi-threshold <low_threshold> <high_threshold>

set-rssi-timeout

Set RSSI timeout parameter

Usage > set-rssi-timeout <low_timeout> <high_timeout>

set-rssi-sampling-period

Set RSSI sampling period parameter

Usage > set-rssi-timeout <low_timeout> <high_timeout>

add-or-pattern

Register 'or pattern' type monitor with the specified RSSI parameters

Usage > add-or-pattern [patterns=pattern1 pattern2 ...]

get-pattern

Get advertisement monitor

Usage > get-pattern <monitor-id/all>

remove-pattern

Remove advertisement monitor

Usage > remove-pattern <monitor-id/all>

get-supported-info

Get advertisement manager supported features and supported monitor types

Usage > get-supported-info

print-usage

Print the command usage

Usage > print-usage <add-or-pattern>

RESOURCES

<<http://www.bluez.org>>

REPORTING BUGS

<linux-bluetooth@vger.kernel.org>

Copyright

Free use of this software is granted under the terms of the GNU Lesser General Public License (LGPL).

BlueZ

July 2023

bluetoothctl-monitor(1)