



Linux Ubuntu 26.04 Manual Pages on command 'btattach.1'

\$ man btattach.1

btattach(1) Linux System Administration btattach(1)

Name

btattach - Attach serial devices to BlueZ stack

SYNOPSIS

btattach [-B device] [-A device] [-P protocol] [-R]

DESCRIPTION

btattach(1) is used to attach a serial UART to the Bluetooth stack as a transport interface.

OPTIONS

-B device, --brder device

Attach a BR/EDR controller

-A device, --amp device

Attach an AMP controller

-P protocol, --protocol protocol

Specify the protocol type for talking to the device.

Supported values are:

??????????????

? protocol ?
?????????????
? h4 ?
?????????????
? bcsp ?
?????????????
? 3wire ?
?????????????
? h4ds ?
?????????????
? ll ?
?????????????
? ath3k ?
?????????????
? intel ?
?????????????
? bcm ?
?????????????
? qca ?
?????????????

-S baudrate, --speed baudrate
Specify which baudrate to use

-N, --noflowctl
Disable flow control

-v, --version
Show version

-h, --help
Show help options

RESOURCES

<<http://www.bluez.org>>

REPORTING BUGS

<linux-bluetooth@vger.kernel.org>

Copyright

Free use of this software is granted under the terms of the GNU Lesser General Public License (LGPL).

BlueZ

November 2015

btattach(1)