



Linux Ubuntu 26.04 Manual Pages on command 'cpupower-set.1'

\$ man cpupower-set.1

CPUPOWER-SET(1) cpupower Manual CPUPOWER-SET(1)

NAME

cpupower-set - Set processor power related kernel or hardware configurations

SYNOPSIS

cpupower set [-b VAL | -e POLICY | -m MODE | -t BOOL]

DESCRIPTION

cpupower set sets kernel configurations or directly accesses hardware registers affecting processor power saving policies.

Some options are platform wide, some affect single cores. By default values are applied on all cores. How to modify single core configurations is described in the cpupower(1) manpage in the --cpu option section. Whether an option affects the whole system or can be applied to individual cores is described in the Options sections.

Use cpupower info to read out current settings and whether they are supported on the system at all.

OPTIONS

--perf-bias, -b

Sets a register on supported Intel processors which allows software to convey its policy for the relative importance of performance versus energy savings to the processor.

The range of valid numbers is 0-15, where 0 is maximum performance and 15 is maximum energy efficiency.

The processor uses this information in model-specific ways when it must select trade-offs between performance and energy efficiency.

This policy hint does not supersede Processor Performance states (P-states) or CPU Idle

power states (C-states), but allows software to have influence where it would otherwise be unable to express a preference.

For example, this setting may tell the hardware how aggressively or conservatively to control frequency in the "turbo range" above the explicitly OS-controlled P-state frequency range. It may also tell the hardware how aggressively it should enter the OS requested C-states.

This option can be applied to individual cores only via the `--cpu` option, `cpupower(1)`.

Setting the performance bias value on one CPU can modify the setting on related CPUs as well (for example all CPUs on one socket), because of hardware restrictions. Use `cpupower -c all info -b` to verify.

This options needs the msr kernel driver (`CONFIG_X86_MSR`) loaded.

`--epp, -e`

Sets the energy performance policy preference on supported Intel or AMD processors which use the Intel or AMD P-State cpufreq driver respectively.

Available policies can be found with `cat /sys/devices/system/cpu/cpufreq/policy0/energy_performance_available_preferences` :

default performance balance_performance balance_power power

`--amd-pstate-mode, -m`

Sets the AMD P-State mode for supported AMD processors. Available modes are "active", "guided" or "passive".

Refer to the AMD P-State kernel documentation for further information.

`--turbo-boost, --boost, -t`

This option is used to enable or disable the boost feature on supported Intel and AMD processors, and other boost supported systems. (The `--boost` option is an alias for the `--turbo-boost` option)

This option takes as parameter either 1 to enable, or 0 to disable the feature.

SEE ALSO

`cpupower-info(1)`, `cpupower-monitor(1)`, `powertop(1)`

AUTHORS

`--perf-bias` parts written by Len Brown <len.brown@intel.com>

Thomas Renninger <trenn@suse.de>