



Linux Ubuntu 26.04 Manual Pages on command 'exp10.3'

\$ man exp10.3

exp10(3) Library Functions Manual exp10(3)

NAME

exp10, exp10f, exp10l - base-10 exponential function

LIBRARY

Math library (libm, -lm)

SYNOPSIS

```
#define _GNU_SOURCE      /* See feature_test_macros(7) */
#include <math.h>

double exp10(double x);

float exp10f(float x);

long double exp10l(long double x);
```

DESCRIPTION

These functions return the value of 10 raised to the power of x.

RETURN VALUE

On success, these functions return the base-10 exponential value of x.

For various special cases, including the handling of infinity and NaN, as well as overflows and underflows, see exp(3).

ERRORS

See math_error(7) for information on how to determine whether an error has occurred when calling these functions.

For a discussion of the errors that can occur for these functions, see exp(3).

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

Interface	Attribute	Value
exp10(), exp10f(), exp10l()	Thread safety	MT-Safe

GNU.

glibc 2.1.

Before `glibc 2.19`, the `glibc` implementation of these functions did not set `errno` to `ERANGE` when an underflow error occurred.

cbrt(3), exp(3), exp2(3), log10(3), sqrt(3)

Linux man-pages 6.17 2026-02-08 exp10(3)