



## ***Linux Ubuntu 26.04 Manual Pages on command 'gnutee.1'***

***\$ man gnutee.1***

TEE(1) User Commands TEE(1)

### NAME

tee - read from standard input and write to standard output and files

### SYNOPSIS

tee [OPTION]... [FILE]...

### DESCRIPTION

Copy standard input to each FILE, and also to standard output.

-a, --append

append to the given FILEs, do not overwrite

-i, --ignore-interrupts

ignore interrupt signals

-p operate in a more appropriate MODE with pipes

--output-error[=MODE]

set behavior on write error. See MODE below

--help display this help and exit

--version

output version information and exit

MODE determines behavior with write errors on the outputs:

warn diagnose errors writing to any output

warn-nopipe

diagnose errors writing to any output not a pipe

exit exit on error writing to any output

exit-nopipe

exit on error writing to any output not a pipe

The default MODE for the -p option is 'warn-nopipe'. With "nopipe" MODEs, exit immediately if all outputs become broken pipes. The default operation when --output-error is not specified, is to exit immediately on error writing to a pipe, and diagnose errors writing to non pipe outputs.

## AUTHOR

Written by Mike Parker, Richard M. Stallman, and David MacKenzie.

## REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report any translation bugs to <<https://translationproject.org/team/>>

## SEE ALSO

Full documentation <<https://www.gnu.org/software/coreutils/tee>>

or available locally via: info '(coreutils) tee invocation'

Packaged by Ubuntu (9.7-3ubuntu2)

Copyright ? 2025 Free Software Foundation, Inc.

License GPLv3+: GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

GNU coreutils 9.7

January 2026

TEE(1)