



Linux Ubuntu 26.04 Manual Pages on command 'gnuunexpand.1'

\$ man gnuunexpand.1

UNEXPAND(1) User Commands UNEXPAND(1)

NAME

unexpand - convert spaces to tabs

SYNOPSIS

unexpand [OPTION]... [FILE]...

DESCRIPTION

Convert blanks in each FILE to tabs, writing to standard output.

With no FILE, or when FILE is -, read standard input.

Mandatory arguments to long options are mandatory for short options too.

-a, --all

convert all blanks, instead of just initial blanks

--first-only

convert only leading sequences of blanks (overrides -a)

-t, --tabs=N

have tabs N characters apart instead of 8 (enables -a)

-t, --tabs=LIST

use comma separated list of tab positions. The last specified position can be pre?

fixed with '/' to specify a tab size to use after the last explicitly specified tab

stop. Also a prefix of '+' can be used to align remaining tab stops relative to the

last specified tab stop instead of the first column

--help display this help and exit

--version

output version information and exit

AUTHOR

Written by David MacKenzie.

REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report any translation bugs to <<https://translationproject.org/team/>>

SEE ALSO

`expand(1)`

Full documentation <<https://www.gnu.org/software/coreutils/unexpand>>

or available locally via: `info '(coreutils) unexpand invocation'`

Packaged by Ubuntu (9.7-3ubuntu2)

Copyright © 2025 Free Software Foundation, Inc.

License GPLv3+: GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it.

There is NO WARRANTY, to the extent permitted by law.

GNU coreutils 9.7

January 2026

UNEXPAND(1)