



Linux Ubuntu 26.04 Manual Pages on command 'kbd_mode.1'

\$ man kbd_mode.1

KBD_MODE(1)

General Commands Manual

KBD_MODE(1)

NAME

`kbd_mode` - report or set the keyboard mode

SYNOPSIS

`kbd_mode [ -a | -u | -k | -s ] [ -f ] [ -C CONSOLE ]`

DESCRIPTION

Without argument, `kbd_mode` prints the current keyboard mode (RAW, MEDIUMRAW or XLATE). With argument, it sets the keyboard mode as indicated:

- s: scancode mode (RAW),
- k: keycode mode (MEDIUMRAW),
- a: ASCII mode (XLATE),
- u: UTF-8 mode (UNICODE).

Of course the "-a" is only traditional, and the code used can be any 8-bit character set.

With "-u" a 16-bit character set is expected, and these chars are transmitted to the kernel as 1, 2, or 3 bytes (following the UTF-8 coding). In these latter two modes the key mapping defined by `loadkeys(1)` is used.

`kbd_mode` operates on the console specified by the "-C" option; if there is none, the console associated with `stdin` is used.

Warning: changing the keyboard mode, other than between ASCII and Unicode, will probably make your keyboard unusable. Set the "-f" option to force such changes. This command is only meant for use (say via remote login) when some program left your keyboard in the wrong state. Note that in some obsolete versions of this program the "-u" option was a synonym for "-s" and older versions of this program may not recognize the "-f" option.

AUTHORS

Andries Brouwer <aeb@cwil.nl>

SEE ALSO

loadkeys(1)

kbd

6 Apr 1994

KBD_MODE(1)