



Linux Ubuntu 26.04 Manual Pages on command 'lzcmp.1'

\$ man lzcmp.1

XZDIFF(1) XZ Utils XZDIFF(1)

NAME

xzcmp, xzdiff, lzcmp, lzdiff - compare compressed files

SYNOPSIS

xzcmp [option...] file1 [file2]

xzdiff ...

lzcmp ... (DEPRECATED)

lzdiff ... (DEPRECATED)

DESCRIPTION

xzcmp and xzdiff compare uncompressed contents of two files. Uncompressed data and options are passed to cmp(1) or diff(1) unless --help or --version is specified.

If both file1 and file2 are specified, they can be uncompressed files or files in formats that xz(1), gzip(1), bzip2(1), lzop(1), zstd(1), or lz4(1) can decompress. The required decompression commands are determined from the filename suffixes of file1 and file2. A file with an unknown suffix is assumed to be either uncompressed or in a format that xz(1) can decompress.

If only one filename is provided, file1 must have a suffix of a supported compression format and the name for file2 is assumed to be file1 with the compression format suffix removed.

The commands lzcmp and lzdiff are provided for backward compatibility with LZMA Utils. They are deprecated and will be removed in a future version.

EXIT STATUS

If a decompression error occurs, the exit status is 2. Otherwise the exit status of cmp(1) or diff(1) is used.

SEE ALSO

cmp(1), diff(1), xz(1), gzip(1), bzip2(1), lzop(1), zstd(1), lz4(1)

Tukaani

2025-03-06

XZDIFF(1)