



Linux Ubuntu 26.04 Manual Pages on command 'npm-cache.1'

\$ man npm-cache.1

NPM-CACHE(1)

General Commands Manual

NPM-CACHE(1)

NAME

npm-cache

Synopsis

<!-- AUTOGENERATED USAGE DESCRIPTIONS -->

Note: This command is unaware of workspaces.

Description

Used to add, list, or clean the npm cache folder.

? add:

Add the specified packages to the local cache. This command is primarily intended to be used internally by npm, but it can provide a way to add data to the local installation cache explicitly.

? clean:

Delete all data out of the cache folder. Note that this is typically unnecessary, as npm's cache is self-healing and resistant to data corruption issues.

? verify:

Verify the contents of the cache folder, garbage collecting any unneeded data, and verifying the integrity of the cache index and all cached data.

Details

npm stores cache data in an opaque directory within the configured cache, named `_cacache`. This directory is a cacache-based content-addressable cache that

stores all http request data as well as other package-related data. This directory is primarily accessed through pacote, the library responsible for all package fetching as of npm@5.

All data that passes through the cache is fully verified for integrity on both insertion and extraction. Cache corruption will either trigger an error, or signal to pacote that the data must be refetched, which it will do automatically. For this reason, it should never be necessary to clear the cache for any reason other than reclaiming disk space, thus why clean now requires --force to run.

There is currently no method exposed through npm to inspect or directly manage the contents of this cache. In order to access it, cacache must be used directly.

npm will not remove data by itself: the cache will grow as new packages are installed.

A note about the cache's design

The npm cache is strictly a cache: it should not be relied upon as a persistent and reliable data store for package data. npm makes no guarantee that a previously-cached piece of data will be available later, and will automatically delete corrupted contents. The primary guarantee that the cache makes is that, if it does return data, that data will be exactly the data that was inserted.

To run an offline verification of existing cache contents, use npm cache verify.

Configuration

```
<!-- AUTOGENERATED CONFIG DESCRIPTIONS -->
```

See Also

? package spec

? npm folders

? npm config

? npmrc

? npm install

? npm publish

? npm pack

? <https://npm.im/cacache>

? <https://npm.im/pacote>

? <https://npm.im/@npmcli/arborist>

? <https://npm.im/make-fetch-happen>

9.2.0

March 2026

NPM-CACHE(1)