



Linux Ubuntu 26.04 Manual Pages on command 'npm-team.1'

\$ man npm-team.1

NPM-TEAM(1) General Commands Manual NPM-TEAM(1)

NAME

npm-team

Synopsis

<!-- AUTOGENERATED USAGE DESCRIPTIONS -->

Note: This command is unaware of workspaces.

Description

Used to manage teams in organizations, and change team memberships. Does not handle permissions for packages.

Teams must always be fully qualified with the organization/scope they belong to when operating on them, separated by a colon (:). That is, if you have a newteam team in an org organization, you must always refer to that team as @org:newteam in these commands.

If you have two-factor authentication enabled in auth-and-writes mode, then you can provide a code from your authenticator with [--otp <otpcode>].

If you don't include this then you will be prompted.

? create / destroy:

Create a new team, or destroy an existing one. Note: You cannot remove the developers team, learn more.

Here's how to create a new team newteam under the org org:

npm team create @org:newteam

You should see a confirming message such as: +@org:newteam once the new

team has been created.

? add:

Add a user to an existing team.

Adding a new user username to a team named newteam under the org org:

```
npm team add @org:newteam username
```

On success, you should see a message: username added to @org:newteam

? rm:

Using npm team rm you can also remove users from a team they belong to.

Here's an example removing user username from newteam team

in org organization:

```
npm team rm @org:newteam username
```

Once the user is removed a confirmation message is displayed:

username removed from @org:newteam

? ls:

If performed on an organization name, will return a list of existing teams under that organization. If performed on a team, it will instead return a list of all users belonging to that particular team.

Here's an example of how to list all teams from an org named org:

```
npm team ls @org
```

Example listing all members of a team named newteam:

```
npm team ls @org:newteam
```

Details

npm team always operates directly on the current registry, configurable from the command line using `--registry=<registry url>`.

You must be a team admin to create teams and manage team membership, under the given organization. Listing teams and team memberships may be done by any member of the organization.

Organization creation and management of team admins and organization members is done through the website, not the npm CLI.

To use teams to manage permissions on packages belonging to your organization, use the npm access command to grant or revoke the appropriate permissions.

Configuration

<!-- AUTOGENERATED CONFIG DESCRIPTIONS -->

See Also

? npm access

? npm config

? npm registry

9.2.0

March 2026

NPM-TEAM(1)