



Linux Ubuntu 26.04 Manual Pages on command 'ppdpo.1'

\$ man ppdpo.1

ppdpo(1) OpenPrinting ppdpo(1)

NAME

ppdpo - ppd message catalog generator (deprecated)

SYNOPSIS

ppdpo [-D name[=value]] [-I include-directory] [-o output-file] source-file

DESCRIPTION

ppdpo extracts UI strings from PPDC source files and updates either a GNU gettext or macOS strings format message catalog source file for translation. This program is deprecated and will be removed in a future release of CUPS.

OPTIONS

ppdpo supports the following options:

-D name[=value]

Sets the named variable for use in the source file. It is equivalent to using the #de? fine directive in the source file.

-I include-directory

Specifies an alternate include directory. Multiple -I options can be supplied to add additional directories.

-o output-file

Specifies the output file. The supported extensions are .po or .po.gz for GNU gettext format message catalogs and .strings for macOS strings files.

NOTES

PPD files are deprecated and will no longer be supported in a future feature release of CUPS. Printers that do not support IPP can be supported using applications such as `ippeveprinter(1)`.

SEE ALSO

`ppdc(1)`, `ppdhtml(1)`, `ppdi(1)`, `ppdmerge(1)`, `ppdcfile(5)`, CUPS Online Help (<http://localhost:631/help>)

COPYRIGHT

Copyright ? 2020-2024 by OpenPrinting.

2021-02-28

CUPS

`ppdpo(1)`