



Linux Ubuntu 26.04 Manual Pages on command 'ppoll.2'

\$ man ppoll.2

poll(2) System Calls Manual poll(2)

NAME

poll, ppoll - wait for some event on a file descriptor

LIBRARY

Standard C library (libc, -lc)

SYNOPSIS

```
#include <poll.h>

int poll(struct pollfd *fds, nfds_t nfds, int timeout);

#define _GNU_SOURCE      /* See feature_test_macros(7) */

#include <poll.h>

int ppoll(struct pollfd *fds, nfds_t nfds,
          const struct timespec *_Nullable tmo_p,
          const sigset_t *_Nullable sigmask);
```

DESCRIPTION

poll() performs a similar task to select(2): it waits for one of a set of file descriptors to become ready to perform I/O. The Linux-specific epoll(7) API performs a similar task, but offers features beyond those found in poll().

The set of file descriptors to be monitored is specified in the fds argument, which is an array of structures of the following form:

```
struct pollfd {
    int fd;      /* file descriptor */
    short events; /* requested events */
    short revents; /* returned events */
};
```

```
};
```

The caller should specify the number of items in the `fds` array in `nfds`.

The field `fd` contains a file descriptor for an open file. If this field is negative, then the corresponding `events` field is ignored and the `revents` field returns zero. (This provides an easy way of ignoring a file descriptor for a single `poll()` call: simply set the `fd` field to its bitwise complement.)

The field `events` is an input parameter, a bit mask specifying the events the application is interested in for the file descriptor `fd`. This field may be specified as zero, in which case the only events that can be returned in `revents` are `POLLHUP`, `POLLERR`, and `POLLNVAL` (see below).

The field `revents` is an output parameter, filled by the kernel with the events that actually occurred. The bits returned in `revents` can include any of those specified in `events`, or one of the values `POLLERR`, `POLLHUP`, or `POLLNVAL`. (These three bits are meaningless in the `events` field, and will be set in the `revents` field whenever the corresponding condition is true.)

If none of the events requested (and no error) has occurred for any of the file descriptors, then `poll()` blocks until one of the events occurs.

The `timeout` argument specifies the number of milliseconds that `poll()` should block waiting for a file descriptor to become ready. The call will block until either:

- ? a file descriptor becomes ready;
- ? the call is interrupted by a signal handler; or
- ? the timeout expires.

Being "ready" means that the requested operation will not block; thus, `poll()`ing regular files, block devices, and other files with no reasonable polling semantic always returns instantly as ready to read and write.

Note that the timeout interval will be rounded up to the system clock granularity, and kernel scheduling delays mean that the blocking interval may overrun by a small amount. Specifying a negative value in `timeout` means an infinite timeout. Specifying a timeout of zero causes `poll()` to return immediately, even if no file descriptors are ready.

The bits that may be set/returned in `events` and `revents` are defined in `<poll.h>`:

`POLLIN` There is data to read.

`POLLPRI`

There is some exceptional condition on the file descriptor. Possibilities include:

? There is out-of-band data on a TCP socket (see `tcp(7)`).

? A pseudoterminal master in packet mode has seen a state change on the slave (see `ioctl_tty(2)`).

? A `cgroup.events` file has been modified (see `cgroups(7)`).

POLLOUT

Writing is now possible, though a write larger than the available space in a socket or pipe will still block (unless `O_NONBLOCK` is set).

POLLRDHUP (since Linux 2.6.17)

Stream socket peer closed connection, or shut down writing half of connection. The `_GNU_SOURCE` feature test macro must be defined (before including any header files) in order to obtain this definition.

POLLERR

Error condition (only returned in revents; ignored in events). This bit is also set for a file descriptor referring to the write end of a pipe when the read end has been closed.

POLLHUP

Hang up (only returned in revents; ignored in events). Note that when reading from a channel such as a pipe or a stream socket, this event merely indicates that the peer closed its end of the channel. Subsequent reads from the channel will return 0 (end of file) only after all outstanding data in the channel has been consumed.

POLLNVAL

Invalid request: fd not open (only returned in revents; ignored in events).

When compiling with `_XOPEN_SOURCE` defined, one also has the following, which convey no further information beyond the bits listed above:

POLLRDNORM

Equivalent to `POLLIN`.

POLLRDBAND

Priority band data can be read (generally unused on Linux).

POLLWRNORM

Equivalent to `POLLOUT`.

POLLWRBAND

Priority data may be written.

Linux also knows about, but does not use `POLLMSG`.

ppoll()

The relationship between poll() and ppoll() is analogous to the relationship between select(2) and pselect(2): like pselect(2), ppoll() allows an application to safely wait until either a file descriptor becomes ready or until a signal is caught.

Other than the difference in the precision of the timeout argument, the following ppoll() call:

```
ready = ppoll(&fds, nfd, tmo_p, &sigmask);
```

is nearly equivalent to atomically executing the following calls:

```
sigset_t origmask;
```

```
int timeout;
```

```
timeout = (tmo_p == NULL) ? -1 :
```

```
(tmo_p->tv_sec * 1000 + tmo_p->tv_nsec / 1000000);
```

```
pthread_sigmask(SIG_SETMASK, &sigmask, &origmask);
```

```
ready = poll(&fds, nfd, timeout);
```

```
pthread_sigmask(SIG_SETMASK, &origmask, NULL);
```

The above code segment is described as nearly equivalent because whereas a negative timeout value for poll() is interpreted as an infinite timeout, a negative value expressed in *tmo_p results in an error from ppoll().

See the description of pselect(2) for an explanation of why ppoll() is necessary.

If the sigmask argument is specified as NULL, then no signal mask manipulation is performed (and thus ppoll() differs from poll() only in the precision of the timeout argument).

The tmo_p argument specifies an upper limit on the amount of time that ppoll() will block.

This argument is a pointer to a timespec(3) structure.

If tmo_p is specified as NULL, then ppoll() can block indefinitely.

RETURN VALUE

On success, poll() returns a nonnegative value which is the number of elements in the pollfds whose revents fields have been set to a nonzero value (indicating an event or an error). A return value of zero indicates that the system call timed out before any file descriptors became ready.

On error, -1 is returned, and errno is set to indicate the error.

ERRORS

EFAULT fds points outside the process's accessible address space. The array given as argument was not contained in the calling program's address space.

EINTR A signal occurred before any requested event; see [signal\(7\)](#).

EINVAL The `nfds` value exceeds the `RLIMIT_NOFILE` value.

EINVAL (`ppoll()`) The timeout value expressed in `*tmo_p` is invalid (negative).

ENOMEM Unable to allocate memory for kernel data structures.

VERSIONS

On some other UNIX systems, `poll()` can fail with the error `EAGAIN` if the system fails to al?

locate kernel-internal resources, rather than `ENOMEM` as Linux does. POSIX permits this be?

havior. Portable programs may wish to check for `EAGAIN` and loop, just as with `EINTR`.

Some implementations define the nonstandard constant `INFTIM` with the value `-1` for use as a timeout for `poll()`. This constant is not provided in `glibc`.

C library/kernel differences

The Linux `ppoll()` system call modifies its `tmo_p` argument. However, the `glibc` wrapper func?

tion hides this behavior by using a local variable for the timeout argument that is passed

to the system call. Thus, the `glibc` `ppoll()` function does not modify its `tmo_p` argument.

The raw `ppoll()` system call has a fifth argument, `size_t sigsetsize`, which specifies the

size in bytes of the `sigmask` argument. The `glibc` `ppoll()` wrapper function specifies this

argument as a fixed value (equal to `sizeof(kernel_sigset_t)`). See [sigprocmask\(2\)](#) for a dis?

cussion on the differences between the kernel and the `libc` notion of the `sigset`.

STANDARDS

POSIX.1-2024.

HISTORY

`poll()` POSIX.1-2001. Linux 2.1.23.

On older kernels that lack this system call, the `glibc` `poll()` wrapper function pro?

vides emulation using `select(2)`.

`ppoll()`

POSIX.1-2024. Linux 2.6.16, `glibc` 2.4.

NOTES

The operation of `poll()` and `ppoll()` is not affected by the `O_NONBLOCK` flag.

For a discussion of what may happen if a file descriptor being monitored by `poll()` is closed

in another thread, see [select\(2\)](#).

BUGS

See the discussion of spurious readiness notifications under the `BUGS` section of [select\(2\)](#).

EXAMPLES

The program below opens each of the files named in its command-line arguments and monitors the resulting file descriptors for readiness to read (POLLIN). The program loops, repeatedly using poll() to monitor the file descriptors, printing the number of ready file descriptors on return. For each ready file descriptor, the program:

- ? displays the returned revents field in a human-readable form;
- ? if the file descriptor is readable, reads some data from it, and displays that data on standard output; and
- ? if the file descriptor was not readable, but some other event occurred (presumably POLLHUP), closes the file descriptor.

Suppose we run the program in one terminal, asking it to open a FIFO:

```
$ mkfifo myfifo;
$ ./poll_input myfifo;
```

In a second terminal window, we then open the FIFO for writing, write some data to it, and close the FIFO:

```
$ echo aaaaabbbbbccccc > myfifo;
```

In the terminal where we are running the program, we would then see:

```
Opened "myfifo" on fd 3
About to poll()
Ready: 1
fd=3; events: POLLIN POLLHUP
read 10 bytes: aaaaabbbbb
About to poll()
Ready: 1
fd=3; events: POLLIN POLLHUP
read 6 bytes: ccccc
About to poll()
Ready: 1
fd=3; events: POLLHUP
closing fd 3
All file descriptors closed. Bye.
```

In the above output, we see that poll() returned three times:

- ? On the first return, the bits returned in the revents field were POLLIN, indicating that the file descriptor is readable, and POLLHUP, indicating that the other end of the FIFO

has been closed. The program then consumed some of the available input.

? The second return from poll() also indicated POLLIN and POLLHUP; the program then consumed the last of the available input.

? On the final return, poll() indicated only POLLHUP on the FIFO, at which point the file descriptor was closed and the program terminated.

Program source

```
/* poll_input.c

Licensed under GNU General Public License v2 or later.

*/

#include <err.h>
#include <fcntl.h>
#include <poll.h>
#include <stdio.h>
#include <stdlib.h>
#include <sys/types.h>
#include <unistd.h>

int
main(int argc, char *argv[])
{
    int      ready;
    char      buf[10];
    nfd_t     num_open_fds, nfd;
    ssize_t   s;
    struct pollfd *pfd;
    if (argc < 2) {
        fprintf(stderr, "Usage: %s file...\n", argv[0]);
        exit(EXIT_FAILURE);
    }
    num_open_fds = nfd = argc - 1;
    pfd = calloc(nfd, sizeof(struct pollfd));
    if (pfd == NULL)
        err(EXIT_FAILURE, "malloc");

    /* Open each file on command line, and add it to 'pfd' array. */
```

```

for (nfds_t j = 0; j < nfds; j++) {
    pfds[j].fd = open(argv[j + 1], O_RDONLY);
    if (pfds[j].fd == -1)
        err(EXIT_FAILURE, "open");
    printf("Opened \"%s\" on fd %d\n", argv[j + 1], pfds[j].fd);
    pfds[j].events = POLLIN;
}

/* Keep calling poll() as long as at least one file descriptor is
   open. */
while (num_open_fds > 0) {
    printf("About to poll()\n");
    ready = poll(pfds, nfds, -1);
    if (ready == -1)
        err(EXIT_FAILURE, "poll");
    printf("Ready: %d\n", ready);
    /* Deal with array returned by poll(). */
    for (nfds_t j = 0; j < nfds; j++) {
        if (pfds[j].revents != 0) {
            printf(" fd=%d; events: %s%s%s\n", pfds[j].fd,
                (pfds[j].revents & POLLIN) ? "POLLIN " : "",
                (pfds[j].revents & POLLHUP) ? "POLLHUP " : "",
                (pfds[j].revents & POLLERR) ? "POLLERR " : "");
            if (pfds[j].revents & POLLIN) {
                s = read(pfds[j].fd, buf, sizeof(buf));
                if (s == -1)
                    err(EXIT_FAILURE, "read");
                printf(" read %zd bytes: %.*s\n",
                    s, (int) s, buf);
            } else {
                /* POLLERR | POLLHUP */
                printf(" closing fd %d\n", pfds[j].fd);
                if (close(pfds[j].fd) == -1)
                    err(EXIT_FAILURE, "close");
                num_open_fds--;
            }
        }
    }
}

```

```
    }  
    }  
    }  
}  
printf("All file descriptors closed. Bye.\n");  
exit(EXIT_SUCCESS);  
}
```

SEE ALSO

restart_syscall(2), select(2), select_tut(2), timespec(3), epoll(7), time(7)

Linux man-pages 6.17

2026-02-08

poll(2)