



Linux Ubuntu 26.04 Manual Pages on command 'pthread_exit.3'

\$ man pthread_exit.3

pthread_exit(3) Library Functions Manual pthread_exit(3)

NAME

pthread_exit - terminate calling thread

LIBRARY

POSIX threads library (libpthread, -lpthread)

SYNOPSIS

```
#include <pthread.h>
```

```
[[noreturn]] void pthread_exit(void *retval);
```

DESCRIPTION

The `pthread_exit()` function terminates the calling thread and returns a value via `retval` that (if the thread is joinable) is available to another thread in the same process that calls `pthread_join(3)`.

Any clean-up handlers established by `pthread_cleanup_push(3)` that have not yet been popped, are popped (in the reverse of the order in which they were pushed) and executed. If the thread has any thread-specific data, then, after the clean-up handlers have been executed, the corresponding destructor functions are called, in an unspecified order.

When a thread terminates, process-shared resources (e.g., mutexes, condition variables, semaphores, and file descriptors) are not released, and functions registered using `atexit(3)` are not called.

After the last thread in a process terminates, the process terminates as by calling `exit(3)` with an exit status of zero; thus, process-shared resources are released and functions registered using `atexit(3)` are called.

RETURN VALUE

ERRORS

ATTRIBUTES

[illegible][illegible][illegible]

HISTORY

NOTES

The value pointed to by `retval` should not be located on the calling thread's stack, since the contents of that stack are undefined after the thread terminates.

Currently, there are limitations in the kernel implementation logic for `wait(2)`ing on a stopped thread group with a dead thread group leader. This can manifest in problems such as a locked terminal if a stop signal is sent to a foreground process whose thread group leader has already called `pthread_exit()`.

pthread_create(3), pthread_join(3), pthreads(7)