



Linux Ubuntu 26.04 Manual Pages on command 'rust-realpath.1'

\$ man rust-realpath.1

REALPATH(1)

General Commands Manual

REALPATH(1)

NAME

realpath - Print the resolved path

SYNOPSIS

realpath [-q|--quiet] [-s|--strip] [-z|--zero] [-L|--logical] [-P|--physical] [-E|--canoni?

calize] [-e|--canonicalize-existing] [-m|--canonicalize-missing] [--relative-to] [--rela?

tive-base] [-h|--help] [-V|--version] <files>

DESCRIPTION

Print the resolved path

OPTIONS

-q, --quiet

Do not print warnings for invalid paths

-s, --strip

Only strip '.' and '..' components, but don't resolve symbolic links

-z, --zero

Separate output filenames with \0 rather than newline

-L, --logical

resolve '..' components before symlinks

-P, --physical

resolve symlinks as encountered (default)

-E, --canonicalize

all but the last component must exist (default)

-e, --canonicalize-existing

canonicalize by following every symlink in every component of the given name recur?

sively, all components must exist

-m, --canonicalize-missing

canonicalize by following every symlink in every component of the given name recur?

sively, without requirements on components existence

--relative-to <DIR>

print the resolved path relative to DIR

--relative-base <DIR>

print absolute paths unless paths below DIR

-h, --help

Print help

-V, --version

Print version

<files>

VERSION

v(utils coreutils) 0.8.0

2026-04-16

REALPATH(1)