



## ***Linux Ubuntu 26.04 Manual Pages on command 'ssh-argv0.1'***

### ***\$ man ssh-argv0.1***

SSH-ARGV0(1)                      General Commands Manual                      SSH-ARGV0(1)

#### NAME

ssh-argv0 ? replaces the old ssh command-name as hostname handling

#### SYNOPSIS

```
hostname | user@hostname [-l login_name] [command]

hostname | user@hostname [-afgknqstvxACNTX1246] [-b bind_address] [-c cipher_spec]
[-e escape_char] [-i identity_file] [-l login_name] [-m mac_spec] [-o option] [-p port]
[-F configfile] [-L port:host:hostport] [-R port:host:hostport] [-D port] [command]
```

#### DESCRIPTION

ssh-argv0 replaces the old ssh command-name as hostname handling. If you link to this script with a hostname then executing the link is equivalent to having executed ssh with that hostname as an argument. All other arguments are passed to ssh and will be processed normally.

#### OPTIONS

See ssh(1).

#### FILES

See ssh(1).

#### AUTHORS

OpenSSH is a derivative of the original and free ssh 1.2.12 release by Tatu Ylonen. Aaron Campbell, Bob Beck, Markus Friedl, Niels Provos, Theo de Raadt and Dug Song removed many bugs, re-added newer features and created OpenSSH. Markus Friedl contributed the support for SSH protocol versions 1.5 and 2.0. Natalie Amery wrote this ssh-argv0 script and the associated documentation.

SEE ALSO

ssh(1)

Debian Project

September 7, 2001

SSH-ARGV0(1)