



Linux Ubuntu 26.04 Manual Pages on command 'ubuntu-insights_completion_fish.1'

\$ man ubuntu-insights_completion_fish.1

Ubuntu-insights: ubuntu-insights(1)

Ubuntu-insights: ubuntu-insights(1)

NAME

ubuntu-insights-completion-fish - Generate the autocompletion script for fish

SYNOPSIS

ubuntu-insights completion fish [flags]

DESCRIPTION

Generate the autocompletion script for the fish shell.

To load completions in your current shell session:

ubuntu-insights completion fish | source

To load completions for every new session, execute once:

ubuntu-insights completion fish > ~/.config/fish/completions/ubuntu-insights.fish

You will need to start a new shell for this setup to take effect.

OPTIONS

-h, --help[=false] help for fish

--no-descriptions[=false] disable completion descriptions

OPTIONS INHERITED FROM PARENT COMMANDS

--config="" use a specific configuration file

--consent-dir="" the base directory of the consent state files

--insights-dir="" the base directory of the insights report cache

--quiet[=false] suppress all output except errors

-v, --verbose[=0] issue INFO (-v), DEBUG (-vv)

SEE ALSO

[ubuntu-insights-completion\(1\)](#)

HISTORY

13-Feb-2026 Auto generated by spf13/cobra

Auto generated by spf13/cobra

Feb 2026

Ubuntu-insights: [ubuntu-insights\(1\)](#)