



Linux Ubuntu 26.04 Manual Pages on command 'vsprintf.3'

\$ man vsprintf.3

sprintf(3)

Library Functions Manual

sprintf(3)

NAME _____

sprintf, vsprintf - string print formatted

LIBRARY

Standard C library (libc, -lc)

SYNOPSIS

```
#include <stdio.h>
```

```
int sprintf(char *restrict str,  
            const char *restrict format, ...);
```

```
int vsprintf(char *restrict str,  
             const char *restrict format, va_list ap);
```

Feature Test Macro Requirements for glibc (see `feature_test_macros(7)`):

snprintf(), vsnprintf():

XOPEN SOURCE >= 500 || ISOC99 SOURCE

```
|| /* glibc <= 2.19: */ _BSD_SOURCE
```

DESCRIPTION

These functions are equivalent to `snprintf(3)` and `vsprintf(3)`, except that no check for buffer overrun is performed (see [BUGS](#) below).

ATTRIBUTES

For an explanation of the terms used in this section, see `attributes(7)`.

[illegible]

?	Interface	?	Attribute	?	Value	?
---	-----------	---	-----------	---	-------	---

[illegible]

? sprintf(), vsprintf()

? Thread safety ? MT-Safe locale ?

[illegible]

STANDARDS

C11, POSIX.1-2008.

HISTORY

C89, POSIX.1-2001.

BUGS

See `printf(3)`.

sprintf(), vsprintf()

Because `sprintf()` and `vsprintf()` assume an arbitrarily long string, callers must be careful not to overflow the actual space; this is often impossible to assure. Note that the length of the strings produced is locale-dependent and difficult to predict. Use `snprintf()` and `vsnprintf()` instead (or `asprintf(3)` and `vasprintf(3)`).

SEE ALSO

asprintf(3), snprintf(3)

Linux man-pages 6.17

2025-12-07

sprintf(3)