

**NAME**

`cexp`, `cexpf`, `cexpl` – complex exponential function

**SYNOPSIS**

**#include** <complex.h>

**double complex** `cexp(double complex z)`;

**float complex** `cexpf(float complex z)`;

**long double complex** `cexpl(long double complex z)`;

Link with `-lm`.

**DESCRIPTION**

These functions calculate  $e$  (2.71828..., the base of natural logarithms) raised to the power of  $z$ .

One has:

$$cexp(I * z) = ccos(z) + I * csin(z)$$

**VERSIONS**

These functions first appeared in `glibc` in version 2.1.

**ATTRIBUTES**

For an explanation of the terms used in this section, see [attributes\(7\)](#).

Interface	Attribute	Value
<code>cexp()</code> , <code>cexpf()</code> , <code>cexpl()</code>	Thread safety	MT-Safe

**CONFORMING TO**

C99, POSIX.1-2001, POSIX.1-2008.

**SEE ALSO**

[cabs\(3\)](#), [cexp2\(3\)](#), [clog\(3\)](#), [cpow\(3\)](#), [complex\(7\)](#)

**COLOPHON**

This page is part of release 5.05 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.