

NAME

`fgetc`, `getc` – read a wide character from a FILE stream

SYNOPSIS

```
#include <stdio.h>
#include <wchar.h>

wint_t fgetc(FILE *stream);
wint_t getwc(FILE *stream);
```

DESCRIPTION

The **fgetc()** function is the wide-character equivalent of the **fgetc(3)** function. It reads a wide character from *stream* and returns it. If the end of stream is reached, or if *ferror(stream)* becomes true, it returns **WEOF**. If a wide-character conversion error occurs, it sets *errno* to **EILSEQ** and returns **WEOF**.

The **getc()** function or macro functions identically to **fgetc()**. It may be implemented as a macro, and may evaluate its argument more than once. There is no reason ever to use it.

For nonlocking counterparts, see **unlocked_stdio(3)**.

RETURN VALUE

The **fgetc()** function returns the next wide-character from the stream, or **WEOF**. In the event of an error, *errno* is set to indicate the cause.

ERRORS

Apart from the usual ones, there is

EILSEQ

The data obtained from the input stream does not form a valid character.

ATTRIBUTES

For an explanation of the terms used in this section, see **attributes(7)**.

Interface	Attribute	Value
fgetc() , getc()	Thread safety	MT-Safe

CONFORMING TO

POSIX.1-2001, POSIX.1-2008, C99.

NOTES

The behavior of **fgetc()** depends on the **LC_CTYPE** category of the current locale.

In the absence of additional information passed to the **fopen(3)** call, it is reasonable to expect that **fgetc()** will actually read a multibyte sequence from the stream and then convert it to a wide character.

SEE ALSO

fgetws(3), **fputwc(3)**, **ungetwc(3)**, **unlocked_stdio(3)**

COLOPHON

This page is part of release 5.05 of the Linux *man-pages* project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.