#### **NAME**

ls – list directory contents

## **SYNOPSIS**

**ls** [*OPTION*]... [*FILE*]...

## **DESCRIPTION**

List information about the FILEs (the current directory by default). Sort entries alphabetically if none of **-cftuvSUX** nor **--sort** is specified.

Mandatory arguments to long options are mandatory for short options too.

#### -a, --all

do not ignore entries starting with .

## -A, --almost-all

do not list implied . and ..

#### --author

with -1, print the author of each file

#### -b, --escape

print C-style escapes for nongraphic characters

#### --block-size=SIZE

with -l, scale sizes by SIZE when printing them; e.g., '--block-size=M'; see SIZE format below

# -B, --ignore-backups

do not list implied entries ending with ~

- -c with -lt: sort by, and show, ctime (time of last modification of file status information); with -l: show ctime and sort by name; otherwise: sort by ctime, newest first
- **-C** list entries by columns

### --color[=WHEN]

colorize the output; WHEN can be 'always' (default if omitted), 'auto', or 'never'; more info below

## -d, --directory

list directories themselves, not their contents

## -D, --dired

generate output designed for Emacs' dired mode

-f do not sort, enable -aU, disable -ls --color

#### -F, --classify

append indicator (one of \*/=>@|) to entries

# --file-type

likewise, except do not append '\*'

# --format=WORD

across -x, commas -m, horizontal -x, long -l, single-column -1, verbose -l, vertical -C

## --full-time

like **-l --time-style**= full-iso

**-g** like **-l**, but do not list owner

# --group-directories-first

group directories before files;

can be augmented with a --sort option, but any use of --sort=none (-U) disables grouping

## -G, --no-group

in a long listing, don't print group names

#### -h, --human-readable

with -1 and -s, print sizes like 1K 234M 2G etc.

**--si** likewise, but use powers of 1000 not 1024

#### -H, --dereference-command-line

follow symbolic links listed on the command line

#### --dereference-command-line-symlink-to-dir

follow each command line symbolic link

that points to a directory

#### --hide=PATTERN

do not list implied entries matching shell PATTERN (overridden by -a or -A)

## --hyperlink[=WHEN]

hyperlink file names; WHEN can be 'always' (default if omitted), 'auto', or 'never'

# --indicator-style=WORD

append indicator with style WORD to entry names: none (default), slash (-p), file-type (--file-type), classify (-F)

#### -i, --inode

print the index number of each file

## -I, --ignore=PATTERN

do not list implied entries matching shell PATTERN

## -k, --kibibytes

default to 1024-byte blocks for disk usage; used only with -s and per directory totals

-l use a long listing format

## -L, --dereference

when showing file information for a symbolic link, show information for the file the link references rather than for the link itself

-m fill width with a comma separated list of entries

## -n, --numeric-uid-gid

like -I, but list numeric user and group IDs

### -N, --literal

print entry names without quoting

**−o** like **−l**, but do not list group information

## -p, --indicator-style=slash

append / indicator to directories

### -q, --hide-control-chars

print? instead of nongraphic characters

## --show-control-chars

show nongraphic characters as-is (the default, unless program is 'ls' and output is a terminal)

#### -Q, --quote-name

enclose entry names in double quotes

#### --quoting-style=WORD

use quoting style WORD for entry names: literal, locale, shell, shell-always, shell-escape, shell-escape-always, c, escape (overrides QUOTING\_STYLE environment variable)

#### -r, --reverse

reverse order while sorting

#### -R, --recursive

list subdirectories recursively

#### -s, --size

print the allocated size of each file, in blocks

**-S** sort by file size, largest first

#### --sort=WORD

sort by WORD instead of name: none  $(-\mathbf{U})$ , size  $(-\mathbf{S})$ , time  $(-\mathbf{t})$ , version  $(-\mathbf{v})$ , extension  $(-\mathbf{X})$ 

### --time=WORD

with  $-\mathbf{l}$ , show time as WORD instead of default modification time: atime or access or use  $(-\mathbf{u})$ ; ctime or status  $(-\mathbf{c})$ ; also use specified time as sort key if  $--\mathbf{sort} = time$  (newest first)

## --time-style=TIME\_STYLE

time/date format with -l; see TIME\_STYLE below

**-t** sort by modification time, newest first

#### -T. --tabsize=COLS

assume tab stops at each COLS instead of 8

- -u with -lt: sort by, and show, access time; with -l: show access time and sort by name; otherwise: sort by access time, newest first
- **-U** do not sort; list entries in directory order
- -v natural sort of (version) numbers within text

#### -w, --width=COLS

set output width to COLS. 0 means no limit

- -x list entries by lines instead of by columns
- -X sort alphabetically by entry extension

## -Z, --context

print any security context of each file

- -1 list one file per line. Avoid '\n' with  $-\mathbf{q}$  or  $-\mathbf{b}$
- --help display this help and exit

#### --version

output version information and exit

The SIZE argument is an integer and optional unit (example: 10K is 10\*1024). Units are K,M,G,T,P,E,Z,Y (powers of 1024) or KB,MB,... (powers of 1000).

The TIME\_STYLE argument can be full—iso, long—iso, iso, locale, or +FORMAT. FORMAT is interpreted like in date(1). If FORMAT is FORMAT1<newline>FORMAT2, then FORMAT1 applies to non—recent files and FORMAT2 to recent files. TIME\_STYLE prefixed with 'posix—' takes effect only outside the POSIX locale. Also the TIME\_STYLE environment variable sets the default style to use.

Using color to distinguish file types is disabled both by default and with **--color**=*never*. With **--color**=*auto*, ls emits color codes only when standard output is connected to a terminal. The LS\_COLORS environment variable can change the settings. Use the directors command to set it.

### **Exit status:**

- 0 if OK.
- 1 if minor problems (e.g., cannot access subdirectory),
- 2 if serious trouble (e.g., cannot access command–line argument).

# **AUTHOR**

Written by Richard M. Stallman and David MacKenzie.

# **REPORTING BUGS**

GNU coreutils online help: <a href="https://www.gnu.org/software/coreutils/">https://www.gnu.org/software/coreutils/</a> Report ls translation bugs to <a href="https://translationproject.org/team/">https://translationproject.org/team/</a>

## **COPYRIGHT**

Copyright © 2018 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <a href="https://gnu.org/licenses/gpl.html">https://gnu.org/licenses/gpl.html</a>.

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

# **SEE ALSO**

Full documentation at: <a href="https://www.gnu.org/software/coreutils/ls">https://www.gnu.org/software/coreutils/ls</a> or available locally via: info '(coreutils) ls invocation'