## NAME

mkfifo – make FIFOs (named pipes)

## SYNOPSIS

mkfifo [OPTION]... NAME...

# DESCRIPTION

Create named pipes (FIFOs) with the given NAMEs.

Mandatory arguments to long options are mandatory for short options too.

-m, --mode=*MODE* 

set file permission bits to MODE, not a=rw - umask

-Z set the SELinux security context to default type

--context[=CTX]

like -Z, or if CTX is specified then set the SELinux or SMACK security context to CTX

--help display this help and exit

#### --version

output version information and exit

## AUTHOR

Written by David MacKenzie.

### **REPORTING BUGS**

GNU coreutils online help: <https://www.gnu.org/software/coreutils/> Report mkfifo translation bugs to <https://translationproject.org/team/>

#### COPYRIGHT

Copyright © 2018 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <a href="https://gnu.org/licenses/gpl.html">https://gnu.org/licenses/gpl.html</a>>.

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

#### **SEE ALSO**

mkfifo(3)

Full documentation at: <https://www.gnu.org/software/coreutils/mkfifo> or available locally via: info '(coreutils) mkfifo invocation'