NAME

openssl-nseq, nseq - create or examine a Netscape certificate sequence

SYNOPSIS

```
openssl nseq [-help] [-in filename] [-out filename] [-toseq]
```

DESCRIPTION

The **nseq** command takes a file containing a Netscape certificate sequence and prints out the certificates contained in it or takes a file of certificates and converts it into a Netscape certificate sequence.

OPTIONS

-help

Print out a usage message.

-in filename

This specifies the input filename to read or standard input if this option is not specified.

-out filename

Specifies the output filename or standard output by default.

-toseq

Normally a Netscape certificate sequence will be input and the output is the certificates contained in it. With the **-toseq** option the situation is reversed: a Netscape certificate sequence is created from a file of certificates.

EXAMPLES

Output the certificates in a Netscape certificate sequence

```
openssl nseq -in nseq.pem -out certs.pem
```

Create a Netscape certificate sequence

```
openssl nseq -in certs.pem -toseq -out nseq.pem
```

NOTES

The **PEM** encoded form uses the same headers and footers as a certificate:

```
----BEGIN CERTIFICATE----
```

A Netscape certificate sequence is a Netscape specific format that can be sent to browsers as an alternative to the standard PKCS#7 format when several certificates are sent to the browser: for example during certificate enrollment. It is used by Netscape certificate server for example.

BUGS

This program needs a few more options: like allowing DER or PEM input and output files and allowing multiple certificate files to be used.

COPYRIGHT

Copyright 2000–2017 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the OpenSSL license (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at https://www.openssl.org/source/license.html>.