

**NAME**

**rm** – remove files or directories

**SYNOPSIS**

**rm** [*OPTION*]... [*FILE*]...

**DESCRIPTION**

This manual page documents the GNU version of **rm**. **rm** removes each specified file. By default, it does not remove directories.

If the *-I* or *--interactive=once* option is given, and there are more than three files or the *-r*, *-R*, or *--recursive* are given, then **rm** prompts the user for whether to proceed with the entire operation. If the response is not affirmative, the entire command is aborted.

Otherwise, if a file is unwritable, standard input is a terminal, and the *-f* or *--force* option is not given, or the *-i* or *--interactive=always* option is given, **rm** prompts the user for whether to remove the file. If the response is not affirmative, the file is skipped.

**OPTIONS**

Remove (unlink) the *FILE*(s).

**-f, --force**

ignore nonexistent files and arguments, never prompt

**-i**

prompt before every removal

**-I**

prompt once before removing more than three files, or when removing recursively; less intrusive than **-i**, while still giving protection against most mistakes

**--interactive[=WHEN]**

prompt according to WHEN: never, once (**-I**), or always (**-i**); without WHEN, prompt always

**--one-file-system**

when removing a hierarchy recursively, skip any directory that is on a file system different from that of the corresponding command line argument

**--no-preserve-root**

do not treat */* specially

**--preserve-root[=all]**

do not remove */* (default); with *'all'*, reject any command line argument on a separate device from its parent

**-r, -R, --recursive**

remove directories and their contents recursively

**-d, --dir**

remove empty directories

**-v, --verbose**

explain what is being done

**--help** display this help and exit

**--version**

output version information and exit

By default, **rm** does not remove directories. Use the **--recursive** (**-r** or **-R**) option to remove each listed directory, too, along with all of its contents.

To remove a file whose name starts with a *'-'*, for example *'-foo'*, use one of these commands:

```
rm -- -foo
```

```
rm ./-foo
```

Note that if you use **rm** to remove a file, it might be possible to recover some of its contents, given sufficient expertise and/or time. For greater assurance that the contents are truly unrecoverable, consider using **shred**.

**AUTHOR**

Written by Paul Rubin, David MacKenzie, Richard M. Stallman, and Jim Meyering.

**REPORTING BUGS**

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report rm translation bugs to <<https://translationproject.org/team/>>

**COPYRIGHT**

Copyright © 2018 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

**SEE ALSO**

unlink(1), unlink(2), chattr(1), shred(1)

Full documentation at: <<https://www.gnu.org/software/coreutils/rm>>  
or available locally via: info '(coreutils) rm invocation'