### **NAME**

roff2dvi – transform roff code into dvi mode

## **SYNOPSIS**

```
roff2dvi [groffer-option ...] [--] [filespec ...]
roff2dvi -h
roff2dvi --help
roff2dvi -v
roff2dvi --version
```

The options **–v** and **–version** print the version information of the program to standard output and exit. The options **–h** and **–-help** print a usage information of the program to standard output and stop the program instantly.

All other options are assumed to be **groffer** options. They are internally passed to **groffer**. They override the behavior of the program. The options are optional, they can be omitted.

The *filespec* arguments correspond to the *filespec* arguments of **groffer**. So they are either the names of existing, readable files or – for standard input, or the name of a man page or a **groffer**(1) man page search pattern. If no *filespec* is specified standard input is assumed automatically.

### DESCRIPTION

roff2dvi transforms roff code into dvi mode. Print the result to standard output.

There are more of these programs for generating other formats of roff input.

prints *PostScript* format to standard output.

roff2text(1)

generates text output in the **groff** device *latin1*.

roff2x(1)

prints the output in the groff device X that is suitable for programs like gxditview(1) or xditview(1).

# **AUTHORS**

**roff2dvi** was written by Bernd Warken (groff-bernd.warken-72@web.de).

#### SEE ALSO

```
\mathbf{groff}(1), \mathbf{groffer}(1), \mathbf{roff2html}(1), \mathbf{roff2pdf}(1), \mathbf{roff2ps}(1), \mathbf{roff2text}(1), \mathbf{roff2x}(1), \mathbf{gxditview}(1).
```