

NAME

choke – choose and keep scheduler

SYNOPSIS

tc qdisc ... choke limit packets **min** packets **max** packets **avpkt** bytes **burst** packets [**ecn**] [**bandwidth** rate] **probability** chance

DESCRIPTION

CHOKE (CHOose and Keep for responsive flows, CHOose and Kill for unresponsive flows) is a classless qdisc designed to both identify and penalize flows that monopolize the queue. CHOKE is a variation of RED, and the configuration is similar to RED.

ALGORITHM

Once the queue hits a certain average length, a random packet is drawn from the queue. If both the to-be-queued and the drawn packet belong to the same flow, both packets are dropped. Otherwise, if the queue length is still below the maximum length, the new packet has a configurable chance of being marked (which may mean dropped). If the queue length exceeds **max**, the new packet will always be marked (or dropped). If the queue length exceeds **limit**, the new packet is always dropped.

The marking probability computation is the same as used by the RED qdisc.

PARAMETERS

The parameters are the same as for RED, except that RED uses bytes whereas choke counts packets. See **tc-red(8)** for a description.

SOURCE

- o R. Pan, B. Prabhakar, and K. Psounis, "CHOKE, A Stateless Active Queue Management Scheme for Approximating Fair Bandwidth Allocation", IEEE INFOCOM, 2000.
- o A. Tang, J. Wang, S. Low, "Understanding CHOKE: Throughput and Spatial Characteristics", IEEE/ACM Transactions on Networking, 2004

SEE ALSO

tc(8), **tc-red(8)**

AUTHOR

sched_choke was contributed by Stephen Hemminger.