

NAME

`vmstat` – Report virtual memory statistics

SYNOPSIS

`vmstat` [*options*] [*delay* [*count*]]

DESCRIPTION

`vmstat` reports information about processes, memory, paging, block IO, traps, disks and cpu activity.

The first report produced gives averages since the last reboot. Additional reports give information on a sampling period of length *delay*. The process and memory reports are instantaneous in either case.

OPTIONS

delay The *delay* between updates in seconds. If no *delay* is specified, only one report is printed with the average values since boot.

count Number of updates. In absence of *count*, when *delay* is defined, default is infinite.

-a, --active

Display active and inactive memory, given a 2.5.41 kernel or better.

-f, --forks

The **-f** switch displays the number of forks since boot. This includes the fork, vfork, and clone system calls, and is equivalent to the total number of tasks created. Each process is represented by one or more tasks, depending on thread usage. This display does not repeat.

-m, --slabs

Displays slabinfo.

-n, --one-header

Display the header only once rather than periodically.

-s, --stats

Displays a table of various event counters and memory statistics. This display does not repeat.

-d, --disk

Report disk statistics (2.5.70 or above required).

-D, --disk-sum

Report some summary statistics about disk activity.

-p, --partition *device*

Detailed statistics about partition (2.5.70 or above required).

-S, --unit *character*

Switches outputs between 1000 (*k*), 1024 (*K*), 1000000 (*m*), or 1048576 (*M*) bytes. Note this does not change the swap (*si/so*) or block (*bi/bo*) fields.

-t, --timestamp

Append timestamp to each line

-w, --wide

Wide output mode (useful for systems with higher amount of memory, where the default output mode suffers from unwanted column breakage). The output is wider than 80 characters per line.

-y, --no-first

Omits first report with statistics since system boot.

-V, --version

Display version information and exit.

-h, --help

Display help and exit.

FIELD DESCRIPTION FOR VM MODE**Procs**

- r: The number of runnable processes (running or waiting for run time).
- b: The number of processes blocked waiting for I/O to complete.

Memory

- These are affected by the **--unit** option.
- swpd: the amount of swap memory used.
- free: the amount of idle memory.
- buff: the amount of memory used as buffers.
- cache: the amount of memory used as cache.
- inact: the amount of inactive memory. (**-a** option)
- active: the amount of active memory. (**-a** option)

Swap

- These are affected by the **--unit** option.
- si: Amount of memory swapped in from disk (/s).
- so: Amount of memory swapped to disk (/s).

IO

- bi: Kibibyte received from a block device (KiB/s).
- bo: Kibibyte sent to a block device (KiB/s).

System

- in: The number of interrupts per second, including the clock.
- cs: The number of context switches per second.

CPU

- These are percentages of total CPU time.
- us: Time spent running non-kernel code. (user time, including nice time)
- sy: Time spent running kernel code. (system time)
- id: Time spent idle. Prior to Linux 2.5.41, this includes IO-wait time.
- wa: Time spent waiting for IO. Prior to Linux 2.5.41, included in idle.
- st: Time stolen from a virtual machine. Prior to Linux 2.6.11, unknown.
- gu: Time spent running KVM guest code (guest time, including guest nice).

FIELD DESCRIPTION FOR DISK MODE**Reads**

- total: Total reads completed successfully
- merged: grouped reads (resulting in one I/O)
- sectors: Sectors read successfully
- ms: milliseconds spent reading

Writes

- total: Total writes completed successfully
- merged: grouped writes (resulting in one I/O)
- sectors: Sectors written successfully
- ms: milliseconds spent writing

IO

- cur: I/O in progress
- s: seconds spent for I/O

FIELD DESCRIPTION FOR DISK PARTITION MODE

- reads: Total number of reads issued to this partition
- read sectors: Total read sectors for partition
- writes : Total number of writes issued to this partition
- requested writes: Total number of write requests made for partition

FIELD DESCRIPTION FOR SLAB MODE

Slab mode shows statistics per slab, for more information about this information see **slabinfo(5)**

cache: Cache name

num: Number of currently active objects

total: Total number of available objects

size: Size of each object

pages: Number of pages with at least one active object

NOTES

vmstat requires read access to files under */proc*. The **-m** requires read access to */proc/slabinfo* which may not be available to standard users. Mount options for */proc* such as *subset=pid* may also impact what is visible.

SEE ALSO

free(1), **iostat(1)**, **mpstat(1)**, **ps(1)**, **sar(1)**, **top(1)**, **slabinfo(5)**

REPORTING BUGS

Please send bug reports to procps@freelists.org