



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'openssl-core_names.h.7ssl'

\$ man openssl-core_names.h.7ssl

OPENSSL-CORE_NAMES.H(7SSL) OpenSSL OPENSSL-CORE_NAMES.H(7SSL)

NAME

openssl/core_names.h - OpenSSL provider parameter names

SYNOPSIS

```
#include <openssl/core_names.h>
```

DESCRIPTION

The <openssl/core_names.h> header defines a multitude of macros for OSSL_PARAM(3) names, algorithm names and other known names used with OpenSSL's providers, made available for practical purposes only.

Existing names are further described in the manuals for OpenSSL's providers (see "SEE ALSO") and the manuals for each algorithm they provide (listed in those provider manuals).

SEE ALSO

OSSL_PROVIDER-default(7), OSSL_PROVIDER-FIPS(7), OSSL_PROVIDER-legacy(7)

HISTORY

The macros described here were added in OpenSSL 3.0.

CAVEATS

This header file does not constitute a general registry of names. Providers that implement new algorithms are to be responsible for their own parameter names.

However, authors of provider that implement their own variants of algorithms that OpenSSL providers support will want to pay attention to the names provided in this header to work in a compatible manner.

COPYRIGHT

Copyright 2020 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.

3.0.2

2024-02-16

OPENSSL-CORE_NAMES.H(7SSL)